



Quotationsmanual

Choose your size of distilling system with your desired filling volume. Individual filling quantities are possible

Standard Potstill Base System

K = KOTHE


Number = Diameter of the pot

type	Ø mm	quantity
K600	600	100 ltr.
K700	700	150 ltr.
K800	800	200 ltr.
K800	800	250 ltr.
K900	900	300 ltr.
K900	900	400 ltr.
K1000	1000	500 ltr.
K1000	1000	600 ltr.
K1200	1200	800 ltr.
K1200	1200	1000 ltr.
K1200	1200	1200 ltr.
K1600	1600	1500 ltr.
K1800	1800	2000 ltr.
K1800	1800	2500 ltr.
K1800	1800	3000 ltr.
K2000	2000	4000 ltr.
K2000	2000	5000 ltr.

Example 1:
K1000H
Ø1000mm pot
600ltr filling content

Example 2:
K800H
Ø800mm pot
250ltr filling content

Example 3:
K600N
Ø600mm pot
100ltr filling content



Choose your distillationsystem



Kothe
BASIC



type designation: **H**
H- Helmet

Kothe
PROFESSIONAL



type designation: **A**
A- Attached column

Kothe
ADVANCED



type designation: **N**
N - Nearby column

Kothe
ELEGANCE



type designation: **NE**
N - Nearby column
E- Elegance

Kothe
TWIN TECHNOLOGY



type designation: **NT**
N - Nearby column
T- Twin Technology

Kothe
POWER TECHNOLOGY



type designation: **NP**
N - Nearby column
P- Power Technology

Example of type designation:
K 900 NE

K = KOTHE
900 = Diameter inside the pot
NE = type designation (Nearby column type Elegance)



Mark your
distillationsystem

Choose your heating system

			Basic	Professional	Advanced	Elegance	Twin Technology	Power Technology	Steam	Electric	Oil	Gas	Wood	Wood & Electric
type	Ø mm	quantity	H	A	N	NE	NT	NP	Heatingsystem					
K600	600	100 ltr.						n.a.						
K700	700	150 ltr.						n.a.						
K800	800	200 ltr.						n.a.						
K800	800	250 ltr.						n.a.						
K900	900	300 ltr.												
K900	900	400 ltr.												
K1000	1000	500 ltr.												
K1000	1000	600 ltr.												
K1200	1200	800 ltr.											n.a.	n.a.
K1200	1200	1000 ltr.											n.a.	n.a.
K1200	1200	1200 ltr.											n.a.	n.a.
K1600	1600	1500 ltr.											n.a.	n.a.
K1800	1800	2000 ltr.											n.a.	n.a.
K1800	1800	2500 ltr.											n.a.	n.a.
K1800	1800	3000 ltr.											n.a.	n.a.
K2000	2000	4000 ltr.											n.a.	n.a.
K2000	2000	5000 ltr.											n.a.	n.a.

Choose your number of bubble plates



Example 1:
K900N
3 plates



Example 2:
K800N
5 plates



Example 3:
K700A
8 plates on top



Example 4:
K1000NP
16 plates



Example 5:
K900NP
18 plates



Example 6:
K1800NP
32 plates



KOTHE patented
cooking bubble plates
Seamingless adjustable
reflux height



			Basic	Professional	Advanced	Elegance	Twin Technology	Power Technology
type	Ø mm	quantity	H	A	N	NE	NT	NP
K600	600	100 ltr.						n.a.
K700	700	150 ltr.						n.a.
K800	800	200 ltr.						n.a.
K800	800	250 ltr.						n.a.
K900	900	300 ltr.						
K900	900	400 ltr.						
K1000	1000	500 ltr.						
K1000	1000	600 ltr.						
K1000	1000	800 ltr.						
K1200	1200	1000 ltr.						
K1200	1200	1200 ltr.						
K1600	1600	1500 ltr.						
K1800	1800	2000 ltr.						
K1800	1800	2500 ltr.						
K1800	1800	3000 ltr.						
K2000	2000	4000 ltr.						
K2000	2000	5000 ltr.						
Number of Bubbleplates			n.a.					
Helmetstyle	pearl shaped			n.a.				
	whiskystyle			n.a.				
	swan neck lyne arm			n.a.				
	cylindric			n.a.				



Pearl shaped helmet – smooth expansion of the spirit



Kothe – Whisky helmet
With increased copper surface and smooth expansion of the spirit



Swan neck – lyne arm
Scottish style

Number of Bubbleplates

KOTHE Helmet styles –
Green = Standard

Adjustable Options



K600N
 Illumination basic –
 Lights on pot and one bubble
 plate
 With watertank as basement
 of column ●



K700N
 Illumination full –
 Lights on pot/helmet and
 all bubble plates
 With watertank as
 basement of column ●



K600N
 Illumination basic –
 Lights on pot and one
 bubble plate
 Without watertank or
 basement



K1000N
 With watertank as ●
 basement of column
 and
 another basement for
 condenser ●

Adjustable Options

			Basic	Professional	Advanced	Elegance	Twin Technology	Power Technology	Steam	Electric	Oil	Gas	Wood	Wood & Electric	Agitation CIP (with or without high force pump)	Watertank	Basement	Lighting basic	Lighting full	Controlsystem
type	Ø mm	quantity	H	A	N	NE	NT	NP	Heating system					Adjustable Options						
K600	600	100 ltr.						n.a.												
K700	700	150 ltr.						n.a.												
K800	800	200 ltr.						n.a.												
K800	800	250 ltr.						n.a.												
K900	900	300 ltr.																		
K900	900	400 ltr.																		
K1000	1000	500 ltr.																		
K1000	1000	600 ltr.																		
K1000	1000	800 ltr.																		
K1200	1200	1000 ltr.																		
K1200	1200	1200 ltr.																		
K1600	1600	1500 ltr.																		
K1800	1800	2000 ltr.																		
K1800	1800	2500 ltr.																		
K1800	1800	3000 ltr.																		
K2000	2000	4000 ltr.																		
K2000	2000	5000 ltr.																		
Number of Bubbleplates			n.a.						Remarks:					Remarks: Power Supply = CIP - with high force pump CIP – without force pump						
Helmetstyle	pearl shaped		n.a.																	
	whiskystyle		n.a.																	
	swan neck lyne arm		n.a.																	



Special Options



Modular catalytic converter



Botanical basket systems



Stainless steel covered systems





			Basic	Professional	Advanced	Elegance	Twin Technology	Power Technology	Steam	Electric	Oil	Gas	Wood	Wood & Electric	Agitator	CIP	Basement	Watertank	Lighting basic	Lighting full	Controlsystem	catalytic converter	botanical gasket	stainless steel coverd	IECEX	ATEX			
									Heati ngsyst em					Adjustable Options							special options								
type	Ø mm	quantity	H	A	N	NE	NT	NP																					
K600	600	100 ltr.						n.a.																					
K700	700	150 ltr.						n.a.																					
K800	800	200 ltr.						n.a.																					
K800	800	250 ltr.						n.a.																					
K900	900	300 ltr.																											
K900	900	400 ltr.																											
K1000	1000	500 ltr.																											
K1000	1000	600 ltr.																											
K1000	1000	800 ltr.																											
K1200	1200	1000 ltr.																											
K1200	1200	1200 ltr.																											
K1600	1600	1500 ltr.																											
K1800	1800	2000 ltr.																											
K1800	1800	2500 ltr.																											
K1800	1800	3000 ltr.																											
K2000	2000	4000 ltr.																											
K2000	2000	5000 ltr.																											
Number of Bubbleplates			n.a.						Remarks:						Remarks: Power Supply = CIP - with or without high force pump							Remarks: max. height:							
Helmetstyle	pearl shaped			n.a.																									
	whiskystyle			n.a.																									
	swan neck lyne arm			n.a.																									
	cylindric			n.a.																									
Remarks:																													

